

Fiber Optic

Singlemode Duplex Patch Cable



Model #: N352-01M

- ▶ Premium PVC 8.3/125 micron singlemode patch cables
- ▶ Attenuation loss meets or exceeds the latest industry standard
- ▶ Twice the bandwidth throughput of multimode cable

DESCRIPTION

Tripp Lite's 1-meter (3ft), singlemode duplex fiber optic ST/ST patch cable is manufactured from 8.3/125 zipcord fiber. The cable has ST connectors on each end, a PVC jacket and is FDDI and OFNR rated. Duplex singlemode fiber is most commonly used in LAN applications. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

KEY BUYING POINTS

- Manufactured from 8.3/125 duplex (zipcord) fiber
- PVC jacket
- Length: 1-meter (3ft) Connectors: 2 ST connectors on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

TYPICAL APPLICATIONS

- Networking equipment that requires singlemode fiber optic patch cables

OPTIONS & ACCESSORIES

- Duplex Singlemode 5-meter SC/ST fiber patch cable (Model #N354-05M)
- Duplex Singlemode 1-meter SC/SC fiber patch cable (Model #N356-01M)
- Duplex Singlemode 1-meter LC/SC fiber patch cable (Model #N366-01M)
- Duplex Singlemode 2-meter LC/ST fiber patch cable (Model #N368-02M)
- Duplex Singlemode 2-meter LC/LC fiber patch cable (Model #N370-02M)

SYSTEM REQUIREMENTS

- Any fiber optic hardware or NIC card requiring singlemode duplex cable with ST/ST connectors

PACKAGE INCLUDES

- 1-meter (3ft) Duplex Singlemode Fiber Patch Cable, ST/ST

COMPLETE SPECIFICATIONS

Description	Duplex Singlemode Fiber Patch Cable
Length	1 m
Connector Number	4
Color	Yellow

CONNECTORS

Connector A



Connector B



*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2006 Tripp Lite. All Rights Reserved.